



STATE OF HAWAII
STATE PROCUREMENT OFFICE
HONOLULU, HAWAII

November 18, 1996

TO: All State Agencies (Oahu)
FROM: Procurement Officer
SUBJECT: Change No. 1, SPO Price List No. 96-29 (Oahu only)
Plumbing Fixtures and Supplies
IFB-96-090-0

1. Subject price list is extended for twelve (12) months, as follows:

December 1, 1996 through November 30, 1997

Purchase orders must be received by vendor no later than November 30, 1997.

2. All terms and conditions of the contract/price list remain unchanged.

ROBERT J. GOVERNS, CPPB
Procurement Officer

STATE PROCUREMENT OFFICE

SPO PRICE LIST NO. 96-29
(Oahu Only)
(Replaces Price List No. 94-34)

PLUMBING FIXTURES & SUPPLIES
(IFB-96-090-0)
December 1, 1995 to November 30, 1996

SEND purchase orders to:

| <u>Vendor</u> | <u>Address</u> | <u>Phone No.</u> |
|------------------------------------|-------------------------------------|------------------|
| Plumbing Specialties & Supplies | 925 Kokea St. Honolulu, HI 96819 | 841-8711 |

Person to contact for problems: Clifford Hayashi

COMMITMENT TO PURCHASE. Pursuant to §3-121-6, Hawaii Administrative Rules, it is mandatory that all agencies of the Executive Branch purchase from price lists issued by the State Procurement Office. Further, the chief procurement officers for the Judiciary, the Department of Education, and the University of Hawaii agree and commit to the terms of this price list.

EXCEPTION TO PRICE LIST. When quality level or product design is not suited to any agency's purpose, exception may be granted to the agency by the Administrator of the State Procurement Office. To obtain an exception to purchase outside of the price list, agency must submit SPO Form 5, Request for Authorization to Purchase Outside of State Procurement Office Price list, justifying the exception.

UNIT PRICES include delivery to destination and all other costs except the Hawaii General Excise Tax, currently 4%. Agencies are advised to add the 4% tax to their purchase order total.

PURCHASE ORDERS must be received by vendor no later than November 30, 1996. It is the responsibility of each State agency to insure that purchase orders are sent to the vendor on a timely basis. Vendor is not obliged to accept any order received after the price list expiration date.

Purchases from this price list are for supplies needed by the agency during the price list period. Do not issue purchase orders specifying delivery after the price list expiration date. (This excludes those orders received by the vendor towards the end of the price list period for which delivery may extend beyond the price list expiration date.)

INFORMATION to be included on purchase order:

1. Delivery Address
2. Name and telephone number of requisitioner.

SPO Price List No. 96-29
12/1/95 to 11/30/96

3. SPO Price List No.

4. Item Number and Part Number of items being ordered

DELIVERIES for purchase orders totaling \$100.00 or more shall be made within three (3) working days in city limits and seven (7) working days in rural areas following receipt of purchase order by vendor.

Within three (3) hours, purchase orders totaling \$100.00 or less shall be made available on a "will call" basis, and delivery, if requested, will be made only at the option of the contractor according to his delivery schedule.

VENDOR is obliged to deliver the items on this price list. Agencies are advised that if an order is placed and a vendor is unable to deliver within the time allowed for delivery, the agency should arrange with the vendor for an acceptable substitute. Vendor shall deliver an acceptable substitute at the prices listed after prior approval has been given by the ordering agency.

QUESTIONS relating to this price list shall be directed to Caroldynne Yamashita, phone 586-0566.

ROBERT J. GOVERNS, CPPB
Procurement Officer

| Item No. | Article and Description | Unit Price | Brand & Model No. |
|---|--|---------------|----------------------|
| <u>GROUP A - TOILETS and URINALS</u> | | | |
| 1. | <u>TOILET</u> , vitreous china, elongated bowl, 1-1/2" top spud, siphon jet flushing, white, <u>Maximum of 1.5 to 1.6 gallons per flush</u> | | |
| a. | 10" rough-in, floor mounted | \$ 79.89 | Kohler K-4350 |
| b. | 12" rough-in, floor mounted | 71.93 | Briggs 7715 |
| c. | 10"-12" rough-in, 17"-18" high, floor mounted | 97.82 | Kohler K-4368 |
| 2. | <u>TOILET</u> , vitreous china, elongated bowl, wall hanging, siphon jet flushing, 5" rough-in white, <u>Maximum of 1.5 to 1.6 gallons per flush</u> | | |
| a. | 1-1/2" top spud | 89.54 | Kohler K-4330 |
| b. | 1-1/2" back spud | 118.14 | Briggs 7782 |
| 3. | <u>TOILET</u> , vitreous china, round front bowl, siphon jet flushing, 12" rough-in, close- coupled system, white, <u>Maximum of 1.5 to 1.6 gallons per flush</u> | | |
| a. | Round front bowl | 73.45 | Mansfield 130-162 |
| b. | Elongated front bowl | 114.65 | Kohler K-3428 |
| 4. | <u>TOILET</u> , vitreous china, elongated bowl, white siphon jet flushing, <u>3.5 gallons per flush</u> | 141.46 | Kohler K-4498ER |
| 5. | <u>URINAL</u> , wall hanging, vitreous china, white, <u>Maximum of one (1.0) gallon per flush</u> | | |
| a. | Compact, siphon jet, 3/4" top spud | 9.44 | Mansfield 475 |
| b. | Compact, siphon jet, 1-1/4" top spud | 89.53 | Kohler K-5016-T |
| c. | Extended shields, washout, | | |

| | | | |
|----|--|--------|-----------------|
| | 3/4" top spud | 151.03 | Kohler K-4960-T |
| 6. | <u>URINAL</u> , wall hanging, vitreous china, white, siphon jet, elongated rim, 3/4" top spud, space saving design, meets ADA requirements, <u>Maximum of 1.0 to 1.5 gallons per flush</u> | 155.09 | Kohler K-4989-T |

| <u>Item No.</u> | <u>Article and Description</u> | <u>Unit Price</u> | <u>Brand & Model No.</u> |
|--|--|-------------------|------------------------------|
| GROUP B - REPLACEMENT PARTS FOR TOILETS AND URINALS | | | |
| 7. | <u>TOILET SEAT</u> , heavy duty, solid plastic, open front w/o cover, impact & chemical resistant, permanent bumpers, self sustaining hinges, stainless steel posts with washers & nuts, white | | |
| a. | Regular | \$ 11.00 | Beneke 423 S/S |
| b. | Elongated | 10.90 | Beneke 523 S/S |
| 8. | <u>TOILET SEAT</u> , heavy duty, solid plastic, closed front with cover, impact grade thermoplastic, nylon hinge posts, white | | |
| a. | Regular | 15.37 | Beneke 420 |
| b. | Elongated | 19.14 | Beneke 520 |
| 9. | <u>TOILET SEAT</u> , solid plastic, closed front with cover, white | | |
| a. | Regular | 10.53 | Beneke 410TM |
| b. | Elongated | 17.75 | Beneke 510TM |
| 10. | <u>TOILET SEAT</u> , solid plastic, extra heavy, elongated open front contoured seat less cover, self-sustaining steel check hinges, white | 18.00 | Beneke 527SS |
| 11. | <u>CONTROL VALVE</u> , toilet, ballcock replacement parts for Fluidmaster 400 | | |
| a. | Fluidmaster 400A | 5.69 | Fluidmaster 400A |
| b. | Scoville 16 or equal | 12.60 | Scoville 16 |
| c. | Rebuilding kit for 1B1 | .89 | Master 1B1 |

SPO Price List No. 96-29
12/1/95 to 11/30/96

| <u>Item No.</u> | <u>Article and Description</u> | <u>Unit Price</u> | <u>Brand & Model No.</u> |
|--|---|-----------------------|----------------------------------|
| GROUP B - REPLACEMENT PARTS FOR TOILETS AND URINALS (Continued) | | | |
| 12. | <u>CLOSET FLUSH VALVE</u> , chrome-plated, metal oscillating non-hold open handle, 1" IPS screw drive Bak-check angle stop with protective cap, adjustable tailpiece, vacuum breaker flush connection, wall and spud flanges | | |
| a. | Valve for <u>3.5 gpf</u> toilets with <u>1-1/2" top spud</u> | \$ 44.04 | Sloan Regal 110 |
| b. | Valve for <u>1.5/1.6 gpf</u> toilets with <u>1-1/2" top spud</u> | 44.74 | Sloan Regal 111 |
| c. | Valve for <u>1.5/1.6 gpf</u> toilets with <u>1-1/2" back spud</u> | 62.06 | Sloan Regal 143-1 |
| 13. | <u>CLOSET FLUSH VALVE</u> , quiet concealed flush valve, rough brass with chrome plated exposed parts, 1" I.P.S. wheel handle Bak-check angle stop, adjusting tailpiece, vacuum breaker, elbow flush connection & coupling for 1-1/2" concealed back spud, vandal-proof non-hold open push button, left or right hand supply | 69.14 | Sloan Royal 681 |
| 14. | <u>LOW CONSUMPTION CLOSET KIT</u> to modify existing Sloan/Zurn valve to low flush when a 1.5/1.6 gpf toilet fixture is installed | 9.27 | Sloan A-41A |
| 15. | <u>FLUSH VALVE</u> , with brass overflow | | |

- | | | | |
|-----|--|-------|----------------|
| | tube, complete with brass base, guide arm, tank bulb stem, lever wire, tank ball, over-flow tube | 9.57 | Pasco 1025 |
| 16. | <u>FLUSH VALVE COVER</u> , Royal concealed flush valve body (Dbl Hdl open) | 51.67 | Sloan A-1-2-RB |
| 17. | <u>FLUSH VALVE INSIDE PLASTIC COVER</u> , for concealed Sloan/Zurn flush valve | 2.39 | Sloan A-71 |

| | | | |
|------------|--------------------------------|--------------|------------------|
| Item | | Unit | Brand & |
| <u>No.</u> | <u>Article and Description</u> | <u>Price</u> | <u>Model No.</u> |

GROUP B - REPLACEMENT PARTS FOR TOILETS AND URINALS (Continued)

- | | | | |
|-----|--|----------|-------------------|
| 18. | <u>URINAL FLUSH VALVE</u> - chrome plated, metal oscillating non-hold open handle 3/4" or 1" I.P.S. (as applicable) screw drive Bak-Check angle stop with protective cap, adjusting tailpiece, wall and spud flanges | | |
| a. | Valve for <u>1.5 gpf</u> urinal with <u>3/4" top spud</u> | \$ 44.74 | Sloan Regal 186 |
| b. | Valve for <u>1.0 gpf</u> urinal with <u>1-1/4" top spud</u> | 44.74 | Sloan Regal 180-1 |
| c. | Valve for <u>1.0 gpf</u> urinal with <u>3/4" top spud</u> | 44.74 | Sloan Regal 186-1 |
| 19. | <u>LOW CONSUMPTION URINAL KIT</u> to modify existing Sloan/Zurn valve to low flush when a 1.0 gpf urinal fixture is installed | 9.81 | Sloan A-42A |
| 20. | <u>RELIEF VALVE</u> | | |
| a. | Trip mechanism/relief valve - closet | 1.84 | Sloan A-19-AC |
| b. | Trip mechanism/relief valve - urinal | 1.84 | Sloan A-19-AU |
| c. | Sloan S-20 | .50 | Sloan S-20 |

| | | | |
|-----|--|-------|--------------------|
| 21. | <u>PISTON ASSEMBLY</u> | | |
| a. | Closet flush valve piston assembly | 17.69 | Sloan K-60-A |
| b. | Urinal flush valve piston assembly | 18.72 | Sloan S-60-AU |
| 22. | <u>CLOSET REPAIR KIT</u> | | |
| a. | Delany F141KC | 2.86 | Delany F141KC |
| b. | Delany F107C | 6.29 | Delany F170C |
| 23. | <u>URINAL REPAIR KIT</u> | | |
| a. | Delany F141KU | 6.29 | Delany F141KU |
| b. | Delany F170U | 2.86 | Delany F170U |
| 24. | <u>CLOSET/URINAL REPAIR KIT</u> for Sloan/Zurn | 4.29 | Sloan A-156-AA |
| 25. | <u>CLOSET, BOLT WASHER</u> , oval washer, heavy nickel plated | .18 | Plbg. Product C7B0 |

| <u>Item No.</u> | <u>Article and Description</u> | <u>Unit Price</u> | <u>Brand & Model No.</u> |
|---|---|-------------------|------------------------------|
| <u>GROUP B - REPLACEMENT PARTS FOR TOILETS AND URINALS</u> (Continued) | | | |
| 26. | <u>DIAPHRAGM</u> , for Sloan/Zurn flush valve | \$ 1.88 | Sloan A-56-A |
| 27. | <u>DIAPHRAGM CONTROL CARTRIDGE</u> for Zurn Flushtrol Z-4000 valve | 11.89 | Zurn Z-4000E |
| 28. | <u>PARTS FOR KOHLER K-5055 JARVES</u> wall hanging trough urinal | | |
| a. | Flush pipe and perforated washdown pipe, 36" | | DISCONTINUED |
| b. | Perforated washdown pipe with loose key stop, 60" x 3/8" | | DISCONTINUED |
| c. | Beehive strainer with 1-1/2" tailpiece | 19.37 | Kohler K-9161 |
| 29. | <u>GUIDE ASSEMBLY</u> , urinal/closet for Sloan/Zurn flush valve | 1.42 | Sloan A-163-A |
| 30. | <u>HANDLE ASSEMBLY</u> for Sloan/Zurn flush valve | 7.36 | Sloan B-32-A |
| 31. | <u>HANDLE INTERNAL CAP ASSEMBLY</u> for Zurn | | |

SPO Price List No. 96-29
12/1/95 to 11/30/96

| | | | |
|-----|--|------|--------------------|
| | Flushtrol Z-4000 valve | 3.26 | Zurn Z-4000L |
| 32. | <u>HANDLE, REPAIR KIT</u> for Sloan/Zurn valve | 1.07 | Sloan B-50-A |
| 33. | <u>P. O. PLUG</u> , 1-1/4" x 8, CP-1 | 3.91 | Dearborn 2764A |
| 34. | <u>TANK BALL</u> | | |
| | a. Balloon tank ball, 2-3/8" | 1.02 | RAD/SPEC B251 |
| | b. Balloon tank ball, 2-1/2" | 1.64 | RAD/SPEC B274 |
| | c. Tank ball stem, 5-1/2" long, eyelet head, non-corroding | .16 | Plbg.Product C-13 |
| 35. | <u>TANK FLOAT</u> , deluxe, 5" x 4" | 2.82 | Plbg.Product PC85C |
| 36. | <u>TANK LEVER</u> | | |
| | a. 8-1/4" long, chrome-plated, straight arm | 2.42 | Ray Lewis 5262-07 |
| | b. 9" long, non-corroding tank lever wire | .24 | Plbg.Product C-17 |

| Item No. | Article and Description | Unit Price | Brand & Model No. |
|---|--|------------|-------------------|
| <u>GROUP B - REPLACEMENT PARTS FOR TOILETS and URINALS (continued)</u> | | | |
| 37. | <u>TOILET GASKET</u> , plain wax, 6" x 3-1/4" x 7/8" | \$.48 | Hercules 90-210 |
| 38. | <u>TOILET GASKET</u> , urethane wax, 2" | 1.71 | Harvey #2 |
| 39. | <u>TOILET BOWL WAX</u> , with plastic flange, 3"-4" | 1.36 | Hercules 90-220 |
| 40. | <u>TAILPIECE</u> , chrome-plated, for Sloan/Zurn valve | | |
| | a. 3/4" x 9" | 9.94 | Sloan V-500-AA |
| | b. 1-1/4" x 9" | 10.42 | Sloan V-500-AA |
| | c. 1-1/2" x 9" | 10.42 | Sloan V-500-AA |
| 41. | <u>VACUUM BREAKER REPAIR KIT</u> | | |
| | a. For Sloan/Zurn valve | 6.56 | Sloan V-500-A |

| | | | |
|-----|--------------------------------------|------|---------------|
| b. | For Sloan/Zurn valve | 2.01 | Sloan V-551-A |
| 42. | <u>HANDLE STOP REPAIR KIT</u> | | |
| a. | For Sloan/Zurn valves | 3.29 | Sloan 3308853 |
| b. | For Sloan/Zurn valves | 4.13 | Sloan 3308855 |
| c. | For Sloan/Zurn valves | 3.48 | Sloan 3308856 |
| 43. | <u>WASHER REPAIR KIT</u> | 4.88 | Sloan S-14-AA |

GROUP C - LAVATORIES and SINKS

| | | | |
|-----|--|-------|--------------------|
| 44. | <u>LAVATORY</u> , wall mounted, 5" anti-splash back, vitreous china, 20" x 18" high-back, white | | |
| a. | 8" center, drilling for concealed arm brackets | 59.10 | Mansfield 2018HB-8 |
| b. | 4" center, depressed soap dish | 59.10 | Mansfield 2018HB-4 |
| c. | Front overflow, double foot control mixing valve | 59.08 | Kohler K-2031 |

| <u>Item No.</u> | <u>Article and Description</u> | <u>Unit Price</u> | <u>Brand & Model No.</u> |
|--|--|-------------------|------------------------------|
| <u>GROUP C - LAVATORIES and SINKS (continued)</u> | | | |
| 45. | <u>LAVATORY</u> , wheelchair, vitreous china 20" x 27", narrow width, extra depth, curved front, floor to top of rim -34" | | |
| a. | 12" centers | \$ 115.28 | Mansfield 190-8 |
| b. | 4" centers | 115.28 | Mansfield 190 |
| 46. | <u>LAVATORY</u> , wall mounted, enameled cast iron, 5" high back, 4" faucet centers, 19" x 17" | 73.55 | Kohler K-2861 |
| 47. | <u>LAVATORY</u> , countertop, vitreous china, 17"x14" oval basin, glazed rim for installation with metal frame, white | 65.61 | Kohler K-2212 |

48. **LAVATORY**, wall mounted, vitreous china, 14"x12", built in supply, bubbler, & soap dish, 5" high back 133.98 Kohler K-2475
49. **HARDWARE FOR ITEM #48**, concealed self-closing supply fitting, indexed push buttons for hot & cold water, integral slow-draining outlet, outlet spud to slip to 1/2" tubing 85.69 Kohler K-7482
50. **SERVICE SINK**, acid-resisting enameled cast iron, 22" x 18" x 12" deep, floor to rim 27" 210.86 Kohler K-6714

GROUP D - FAUCETS

51. **LAVATORY FAUCET**, maximum flow rate of 2.0 gpm
- a. Self closing, 4-arm cold handle, 3-1/2" spout 35.50 Kohler K-7510
- b. 4" wrist control blade handle, gooseneck spout w/aerator, coupling nuts, slab to spout outlet - 5" 94.17 Chicago 786-E3-245
- c. hand-tighten shank nuts, pop-up drain assembly with 1-1/4" tailpiece, aerator 38.12 Price Pfister H43-123
- d. station combination faucet and bubbler 89.22 Kohler K-7520
52. **LAVATORY FAUCET**, maximum flow rate of 2.0 gpm single acrylic handle with pop-up waste assembly, aerator, 4" centerset 66.61 Delta 522-MPU

| Item No. | Article and Description | Unit Price | Brand & Model No. |
|----------|-------------------------|------------|-------------------|
|----------|-------------------------|------------|-------------------|

GROUP D - FAUCETS (Continued)

53. **LAVATORY FAUCET**, maximum flow rate of 2.0 gpm 4" rosespray spout outlet, grid drain, lever handles, 4" centerset \$ 81.15 Kohler K-7408
54. **LAVATORY FAUCET**, maximum flow rate of 2.0 gpm concealed body, exposed areas polished chromium plated, 8" centers adjustable to minimum of 6-1/2", rigid gooseneck spout with stream regulator outlet, fits sinks up to 1-1/4" thick, 1/2" O.D. slip inlets, pop-

| | | | |
|---|--|--------|-----------------------|
| | up waste with 1-1/4" diameter & 17 gauge tailpiece | 139.03 | T & S B-885 |
| 55. | <u>SINK FAUCET</u> , maximum flow rate of 2.5 gpm cold water, lever handle, adjustable flange, chrome plated | | |
| a. | 1/2" IPS outside threads | 30.90 | Chicago 12-245 |
| b. | Threaded for hose connections | 31.91 | Chicago 13-245 |
| 56. | <u>SINK FAUCET</u> , maximum flow rate of 2.5 gpm two handle hot and cold water, 8" swingspout, aerator, chrome-plated brass | | |
| a. | Soap dish, inside threaded couplings | 41.68 | Price Pfister 27-340 |
| b. | Coupling nuts less tailpiece | 39.96 | Price Pfister H35-223 |
| 57. | <u>SINK FAUCET</u> , maximum flow rate of 2.5 gpm single pantry, lever handle, gooseneck spout with aerator, chrome-plated | 48.38 | Chicago 350-245 |
| 58. | <u>SILL FAUCET</u> , self-contained and interchangeable, inside loose key, 3/4" flanged female inlet, chrome-plated, vacuum breaker, tee handle, 3/4" hose thread outlet | 69.86 | Chicago 952 |
| <u>GROUP E - REPLACEMENT PARTS FOR FAUCETS</u> | | | |
| 59. | <u>SWING SPOUT</u> , chrome plated brass, aerator | | |
| a. | 8" length | 37.61 | Chicago L8JK |
| b. | 9" length | 26.82 | Chicago L9JK |

| <u>Item No.</u> | <u>Article and Description</u> | <u>Unit Price</u> | <u>Brand & Model No.</u> |
|-----------------|--------------------------------|-------------------|------------------------------|
|-----------------|--------------------------------|-------------------|------------------------------|

GROUP E - REPLACEMENT PARTS FOR FAUCETS (Continued)

60. **HAND CLOSING UNIT**

| | | | |
|----|---|---------|---------------------|
| a. | Quatern operating unit, concealed cap, left-hand unit | \$ 9.32 | Chicago 377-X-LH-JK |
|----|---|---------|---------------------|

| | | | |
|-----|--|-------|--------------------------|
| b. | Quaturn operating unit, concealed cap, right-hand unit | 9.32 | Chicago 377-X-RH-JK |
| c. | Slow compression operating unit, exposed cap, left-hand | 7.92 | Chicago 217-X-LH-JK |
| d. | Slow compression, operating unit, exposed cap, right-hand | 7.92 | Chicago 217-X-RH-JK |
| e. | Quaturn hand-closing unit, exposed cap, left-hand | 7.92 | Chicago 1-100-JK-H |
| f. | Quaturn hand-closing unit, exposed cap, right-hand | 7.92 | Chicago 1-099-JK |
| 61. | <u>WASHERLESS CARTRIDGE</u> | | |
| a. | Washerless LHT cartridge | 3.26 | Price Pfister 910-691 |
| b. | Washerless RHT cartridge | 3.26 | Price Pfister 910-681 |
| 62. | <u>CP LAVATORY</u> , chrome plated, brass grid strainer with 17-gauge tailpiece | 12.53 | Kohler K-7715 |
| 63. | <u>VALVE UNIT</u> | 7.76 | Kohler K-30004 |
| 64. | <u>VALVET UNIT</u> | | |
| a. | Valve Unit | 7.76 | Kohler K-30002 |
| b. | Valve Stem | 7.29 | Kohler K-30134BC |
| c. | Valve Stem | 7.29 | Kohler K-30135BC |
| 65. | <u>DELTA MISC. PARTS</u> | | |
| a. | Seat & Spring Kit | 2.03 | Delta #4993 |
| b. | Stem Unit | 4.89 | Delta #1740 |

| | | | |
|-------------|-------------------------|---------------|----------------------|
| Item No. | Article and Description | Unit Price | Brand & Model No. |
|-------------|-------------------------|---------------|----------------------|

GROUP E - REPLACEMENT PARTS FOR FAUCETS (continued)

66. **MOEN MISC. PARTS**

| | | | |
|-----|---|----------|----------------------------|
| a. | Handle Assembly | \$ 24.30 | Moen #2021 |
| b. | Cap Assembly | 8.40 | Moen #96790 |
| c. | Faucet Handle | 11.47 | Moen #10927 |
| d. | Faucet Handle | 7.79 | Moen #13094 |
| 67. | <u>PRICE PFISTER MISC. PARTS</u> | | |
| a. | Bottom Plate | .81 | Price Pfister #974-050 |
| b. | Diverter Spout, 1/2" | 12.56 | Price Pfister #920-320A |
| c. | Face Plate | 6.65 | Price Pfister #960-041A |
| d. | Handle | 1.28 | Price Pfister #940-520 |
| e. | Housing | 8.33 | Price Pfister #961-070 |
| f. | Index Button Cold | .19 | Price Pfister #941-320 |
| g. | Spout ASM | 8.26 | Price Pfister #920-010 |
| h. | Stem Unit | 1.64 | Price Pfister #950-392 |

GROUP F - DRINKING FAUCETS AND FOUNTAINS

| | | | |
|-----|---|-------|---------------|
| 68. | <u>DRINKING FAUCET</u> , right hand operation, polished chrome plated brass, shielded anti-squirt head | | |
| a. | Wall mount, self-closing push button, bubbler valve with adjustable stream regulation, 3/8" FIPS | 53.85 | Haws 5010 |
| b. | Bubbler valve replacement cartridge for Haws Model 5010 drinking faucet | 20.96 | Haws VRK 5010 |

| <u>Item</u> <u>No.</u> | <u>Article and Description</u> | <u>Unit</u> <u>Price</u> | <u>Brand &</u> <u>Model No.</u> |
|---------------------------|--------------------------------|-----------------------------|--|
|---------------------------|--------------------------------|-----------------------------|--|

GROUP F - DRINKING FAUCETS AND FOUNTAINS (Continued)

| | | | |
|-----|---|---------|--------------------|
| c. | Bubbler valve replacement cartridge for Elkay LK-142 drinking faucet | \$ 6.85 | Elkay 61313 |
| d. | Pipe mount, self-closing 4-arm handle with stream control, 1/2" FIPS | 63.75 | Haws 5062 |
| 69. | <u>DRINKING FOUNTAIN</u> | | |
| a. | Wall mount, chrome plated brass bubbler, polished stainless steel receptor, self-closing 4-arm handle valve, 1/2" I.P.S. supply | 221.68 | Haws 1121 |
| b. | Fountain valve, self-closing 4-arm handle without stream control, 1/2" I.P.S. inlet and outlet | 48.80 | Haws 5840 |
| c. | Face mounted, wall hung, automatic stream regulator, double bubbler projector, satin-finish stainless steel, 1/2" I.P.S. supply, lead free unit | 263.68 | Halsey Taylor 5905 |

GROUP G - MISCELLANEOUS ITEMS

| | | | |
|-----|---|------|-----------------------|
| 70. | <u>STEM ASSEMBLY</u> for 8" two valve tub/shower diverter w/integral stops | 4.91 | Price Pfister 910-374 |
| 71. | <u>STOPPERS</u> , lavatory & bath, 1" solid rubber, wide-flanged spud, C.P. split key ring, 1-3/16" top diameter | 1.18 | Kirkhill 561A |
| 72. | <u>CONNECTOR</u> , copper, flexible, female both ends | | |
| a. | 3/4" x 24" | 5.07 | Brasscraft WBOO-24 |
| b. | 3/4" x 18" | 4.26 | Brasscraft WBOO-18 |
| 73. | <u>GAS COCK</u> | | |
| a. | 1/2" | 8.85 | McDonald 9802W |
| b. | 3/4" | 9.11 | McDonald 9802W |

| <u>Item No.</u> | <u>Article and Description</u> | <u>Unit Price</u> | <u>Brand & Model No.</u> |
|--|---|-----------------------|----------------------------------|
| GROUP G - MISCELLANEOUS ITEMS (Continued) | | | |
| 74. | <u>GATE VALVES</u> , 125#, bronze, threaded ends | | |
| a. | 1/2" | \$ 8.05 | Stockham B-103 |
| b. | 3/4" | 9.96 | Stockham B-103 |
| 75. | <u>GATE VALVES</u> , 125#, bronze, solder ends | | |
| a. | 1/2" | 8.15 | Stockham B-104 |
| b. | 3/4" | 9.40 | Stockham B-104 |
| 76. | <u>GATE VALVES</u> , 150#, bronze, union bonnet, threaded ends | | |
| a. | 1/2" | 11.36 | Stockham B-120 |
| b. | 3/4" | 13.27 | Stockham B-120 |
| 77. | <u>HOSE BIBBS</u> , brass | | |
| a. | 1/2" | 2.48 | Arrowhead #251 |
| b. | 1/2" loose key | 3.48 | Arrowhead #251-LK |
| c. | 3/4" | 2.58 | Arrowhead #351 |
| d. | 3/4" loose key | 3.51 | Arrowhead #351-LK |
| 78. | <u>LAVATORY RISERS</u> , chrome-plated, 3/8" | | |
| a. | 12" | 1.25 | Brasscraft 1-12AC |
| b. | 15" | 1.40 | Brasscraft 1-15AC |
| c. | 20" | 1.70 | Brasscraft 1-20AC |
| 79. | <u>LAVATORY RISERS</u> , chrome-plated, 1/2" | | |
| a. | 12" | 1.78 | Brasscraft 3-12AC |
| b. | 15" | 2.10 | Brasscraft 3-15AC |
| c. | 20" | 2.29 | Brasscraft 3-20AC |
| 80. | <u>LUBRICANT</u> for faucet & valve stems, water & heat proof, 4 oz. cans | 1.68 | Radprod GRI |

| Item No. | Article and Description | Unit Price | Brand & Model No. |
|---|---|---------------|--------------------------|
| <u>GROUP G - MISCELLANEOUS ITEMS (continued)</u> | | | |
| 81. | <u>P-TRAP</u> , chrome-plated with washers & nuts | | |
| a. | 17 ga., 1-1/4" | \$ 6.56 | Caltub 503-502D |
| b. | 17 ga., 1-1/2" | 7.25 | Caltub 503-802D |
| 82. | <u>SHOWER HEAD</u> , flow control ball joint, 1/2" female inlet | 18.05 | Chicago 620 |
| 83. | <u>SLIP JOINT UNION</u> , 1/2" brass | .50 | Plbg. Product SJ-3XCP |
| 84. | <u>TAILPIECE</u> | | |
| a. | Flanged, chrome plated brass, 1-1/2" OD, 8" long, 17 gauge | 2.76 | Caltub 579-822 |
| b. | Flanged, chrome plated brass, 1-1/2" OD, 4" long, 17 gauge | 2.30 | Caltub 579-812 |
| 85. | <u>VALVE, ANGLE</u> , 1/2" non-Compr. x 1/2" OD Compr. | 2.55 | Brasscraft CR39 |
| 86. | <u>VALVE, BALL</u> | | |
| a. | 1/2" copper x copper | 2.79 | Nibco S-580 |
| b. | 3/4" copper x copper | 3.91 | Nibco S-580 |
| 87. | <u>VALVE, STOP</u> | | |
| a. | 1/2" compression to compression | 3.60 | Arrowhead 700CC |
| b. | 3/4" compression to compression | 4.98 | Arrowhead 725CC |
| 88. | <u>WASHING MACHINE BY-PASS</u> , Valve | 9.75 | Price Pfister 73-530 |